

Trade Waste

Charging Rates Summary 2026-27



BASE CHARGES

Tier	Annual Charge	Quarter Charge	Connection
Tier 1	\$518.36	\$129.59	Category 1
Tier 2	\$885.20	\$221.30	Categories 2 to 6

VOLUMETRIC CHARGES

Table 1: Volumetric Charges 2026-27

Category	Unit	Rate	Excess Pollutants	Analysis Charges
Category 1 – Low Strength	No	No	No	No
Category 2 – Medium Strength	Kilolitre	\$2.1103	No	No
Category 3 – High Strength	Kilolitre	\$4.3114	No	No
Category 4 – Very High Strength	Kilolitre	\$6.7230	No	No
Category 5 – Special	Kilolitre	\$2.1103	Table 2	Table 3
Category 6 – Cooling Towers	Kilolitre	\$1.5829	No	No

Table 2: Excess Pollutant Rates 2026-27

Pollutants	Unit	Rate
Biochemical Oxygen Demand	Kilogram	\$3.8878
Chemical Oxygen Demand	Kilogram	\$1.4217
Non-Filterable Residue	Kilogram	\$4.9144
Total Oil & Grease	Kilogram	\$3.4901

Trade Waste Charging Rates Summary 2026-27



Table 3: Analysis Charges 2026-27

Analysis Category	Unit	Rate
Standard	Each	\$428.72
Non-Standard	Each	\$343.81

HYDROGEN SULPHIDE CHARGES

Where Council determines an approved trade waste connection produces levels of Hydrogen Sulphide in excess of the limits detailed in the *Sewer Admission Standards*, the following charges will be applied.

Additional Base Charge

An additional base charge of \$4,000 per annum will apply to the connection in addition to the standard base charge.

Exceedance Charge

Where the connection produces Hydrogen Sulphide at a level whereby the eight hour time-weighted average exceeds 10ppm during any day, then an exceedance charge of \$1,320 per day will apply.

ADDITIONAL INFORMATION

The *Trade Waste Charging Framework & Rates 2026-27* provides detailed information in relation to all trade waste charges. This document can be found on Council's website www.logan.qld.gov.au.